

MITSUBISHI : Triton (incl. L200 4WD Overseas Model)

10/86 On: ME, MF, MG
MH, MJ, MK

1 of 1

| | PRODUCT | FRONT | REAR | PRODUCT INFORMATION | TYPE |
|---|---|--------------------------------------|---------------------------------|--|--------------------------|
| SHOCK ABSORBERS ME, MF, MG, MH, MJ | Toughdog Gas 35mm bore | USE FOAM CELL | BD1388T \$125 ea | 35mm bore/twin tube Nitrogen Gas Charged | OE & 40mm |
| | Toughdog Foam Cell 41mm bore | FC42058B \$160 ea | FC41388 160 ea | 41mm bore/twin tube/60mm Casing Rebound cutoff valve | OE & 40mm |
| | Toughdog Adjustable 40mm bore | USE FOAM CELL | BM401388 \$200 ea | 40mm bore/twin tube/60mm casing/ 9stage adjustment | OE & 40mm |
| SHOCK ABSORBERS MK 10/96-on | Toughdog Gas 35mm bore | BD2057T \$125 ea | BD1388T \$125 ea | 35mm bore/twin tube Nitrogen Gas Charged | OE & 40mm |
| | Toughdog Foam Cell 41mm bore | FC42057B \$160 ea | FC41388 \$160 ea | 41mm bore/twin tube/60mm Casing Rebound cutoff valve | OE & 40mm |
| | Toughdog Adjustable 40mm bore | USE FOAM CELL | BM401388 \$200 ea | 40mm bore/twin tube/60mm casing/ 9stage | OE & 40mm |
| LEAF SPRINGS ME, MF, MG, MH, MJ, MK 10/86-02 | Premium Pack * NOTE: 1 Rear: 6 Leaf Spring | | FS121 \$345 ea | Light Load: up to 300kg | 40mm lift |
| | | | FS121H \$360 ea | Medium Load: 300kg to GVM | 40mm lift |
| | Business Pack Rear: 5 Leaf Spring | | BP-021 \$230 ea | Light Load: up to 300kg | 40mm lift |
| | | | BP-021H \$250 ea | Medium Load: 300kg to GVM | 40mm lift |
| TORSION BARS | Toughdog | 4WTB-1726 4WTB-1736 | \$535 pair \$535 pair | 1282mm / 26mm 1372mm / 26mm | All models All models |
| Remember to adjust Torsion Bars after fitting Shocks. | | | | | |
| URETHANE PRODUCTS | Shackle bushes | | TDUK-021/35 \$85 kit | 1 kit required | ME to MK |
| | | | TDUK-021/31 \$85 kit | 1 kit required | |
| For all vehicles fitted with BP-021 & BP021H | | | | | |
| U BOLTS | U Bolts must be tightened at 500km service | | TDUB-006 \$50 kit | 2 kits required | ME to MK |
| GREASABLE PINS | | | TDGP-004 \$70 kit | 1 kit Required | |

NOTE 1: Check number of leaves in OE spring pack prior to ordering.

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

MITSUBISHI : Triton (incl. L200 4WD Overseas Model)

7/06 On: ML

1 of 2

| | PRODUCT | FRONT | REAR | PRODUCT INFORMATION | TYPE |
|--|--|---|--------------------------------|---|--|
| SHOCK ABSORBERS | Toughdog Foam Cell 41mm bore | FC404800 \$200 ea | FC41383B \$160 ea | 41mm bore/twin tube/60mm Casing Rebound cutoff valve | 25mm lift 25mm lift |
| | Toughdog Adjustable 40mm bore | BM404800 \$300 ea | BM401383 \$200 ea | 40mm bore/twin tube/60mm casing/ 9stage adjustment | 25mm lift 25mm lift |
| COIL SPRINGS | Premium Pack | TDC670 \$120 ea | | Petrol/Diesel/Alloy/Steel Bar | 25mm lift |
| | | TDC670H \$120 ea | | Petrol/Diesel/Alloy/Steel Bar/Winch | 25mm lift |
| LEAF SPRINGS | Premium Pack | | FS122C \$340 ea | Light Load: up to 300kg | 25mm lift |
| | | | FS122L \$390 ea | Medium Load: 300kg to GVM | 25mm lift |
| | | | FS122LL \$390 ea | Constant Load: from 500kg to GVM | 25mm lift |
| | Business Pack | | BP-122 \$260 ea | Light Load: up to 300kg | 25mm lift |
| | | | BP-122H \$280 ea | Medium Load:300kg to GVM | 25mm lift |
| | URETHANE PRODUCTS | Shackle bushes | | TDUK-021/41 \$85 kit | 1 kit required: Fit to OE springs only |
| | | | TDUK-021/31 \$85 kit | 1 kit required: Fit to all Toughdog Springs | |
| U BOLTS | U Bolts must be tightened at 500km service | | TDUB-036 \$50 kit | 2 kits required | |
| GREASABLE PINS/SHACKLES | Shackles | | TDGS-900 \$80 kit | 1 kit required | |
| COMPLETE STRUT Assembly (Supplied assembled and ready to fit) Strut,Coil & Strut Top | Adjustable Strut Coil Spring Strut Top | MIT-060/1 \$500 ea BM404800 TDC670 | | Petrol/Diesel/Bar | 25mm lift |
| | Adjustable Strut Coil Spring Strut Top | MIT-060/2 \$500 ea BM404800 TDC670H | | Petrol/Diesel/Bar/Winch | 25mm lift |
| | Foam Cell Strut Coil Spring Strut Top | MIT-060/3 \$400 ea FC404800 TDC670 | | Petrol/Diesel/Bar | 25mm lift |
| | Foam Cell Strut Coil Spring Strut Top | MIT-060/4 \$400 ea FC404800 TDC670H | | Petrol/Diesel/Bar/Winch | 25mm lift |

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

MITSUBISHI : Triton (incl. L200 4WD Overseas Model)

7/06 On: ML

2 of 2

| | PRODUCT | FRONT | REAR | PRODUCT INFORMATION | TYPE |
|------------------|----------------|----------------------------|------|--------------------------|------|
| STRUT TOP | Strut top only | MIT-4040 \$80 ea | | 1 only required per side | |

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.