

# DAIHATSU : F10, F20, F50, F60

incl Scat  
8/75-84

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	<b>Toughdog Gas</b> 35mm bore	<b>BD1364T</b> <b>BD1366T</b>	<b>BD1366T</b> <b>BD1382T</b>	35mm bore/twin tube Nitrogen Gas Charged	OE Height 50mm lift
	<b>Toughdog Adjustable</b> 40mm bore	<b>BM401366</b>	<b>BM401366</b> <b>BM401382</b>	40mm bore/twin tube/60mm casing/9stage	OE Height 50mm lift
<b>LEAF SPRINGS</b>	<b>Premium Pack</b> Front: 6 Leaf Spring Rear: 6+1 Leaf Spring	<b>FS81</b>		<b>Alloy Light Bar</b>	50mm lift
			<b>FS82</b>	<b>Light Load: up to 150kg</b>	50mm lift
<b>URETHANE PRODUCTS</b>	Shackle bushes	<b>TDUK-019</b>	<b>TDUK-019</b>	1 kit required 1 kit required	All exc. F50 All exc. F50
	Shackle bushes	<b>TDUK-020</b>	<b>TDUK-020</b>	1 kit required 1 kit required	F50 F50
<b>U BOLTS</b>	<b>U Bolts must be tightened at 500km service</b>	<b>TDUB-027</b>	<b>TDUB-027</b>	2 kits required 2 kits required	All models All models

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>F10, F20, F60</b> Petrol, Diesel, Alloy Bar <b>Carries up to 150kg Load</b> Plus Passengers LIGHT LOAD	50mm Lift	<b>DAI-001</b> BD1366T 2 BD1382T 2 FS81 2 FS82 2 TDUK-019 2 TDUB-027 4		<b>DAI-001B</b> BM401366 2 BM401382 2 FS81 2 FS82 2 TDUK-019 2 TDUB-027 4		

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# DAIHATSU : F25, F55, F65

2/80-84	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	<b>Toughdog Gas</b> 35mm bore	<b>BD1366T</b> <b>BD1382T</b>	<b>BD1400T</b> <b>BD1441T</b>	35mm bore/twin tube Nitrogen Gas Charged	OE Height 50mm lift
	<b>Toughdog Adjustable</b> 40mm bore	<b>BM401366</b> <b>BM401382</b>	<b>BM401400</b> <b>BM401441</b>	40mm bore/twin tube/60mm casing/9stage	OE Height 50mm lift
<b>LEAF SPRINGS</b>	<b>Premium Pack</b> Front: 6 Leaf Spring Rear: 4+1 Leaf Spring	<b>FS81</b>		<b>Alloy Light Bar</b>	50mm lift
			<b>FS82</b>	<b>Light Load: up to 150kg</b>	50mm lift
<b>URETHANE PRODUCTS</b>	Shackle bushes	<b>TDUK-002</b>	<b>TDUK-023</b>	1 kit required 1 kit required	All models All models
<b>U BOLTS</b>	<b>U Bolts must be tightened at 500km service</b>	<b>TDUB-027</b>	<b>TDUB-027</b>	2 kits required 2 kits required	All models All models

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>F25, F55, F66</b> Petrol, Diesel, Alloy Bar <b>Carries up to 150kg Load</b> Plus Passengers LIGHT LOAD	50mm Lift	<b>DAI-002</b> BD1382T 2 BD1441T 2 FS81 2 FS82 2 TDUK-002 1 TDUK-023 1 TDUB-027 4		<b>DAI-002B</b> BM401382 2 BM401341 2 FS81 2 FS82 2 TDUK-002 1 TDUK-023 1 TDUB-027 4		

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

# DAIHATSU : Feroza

F300  
10/88-98

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	<b>Toughdog Gas</b> 35mm bore	<b>BD2057T</b> <b>BD2057T</b>	<b>BD1102T</b> <b>BD1104T</b>	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	<b>Toughdog Adjustable</b> 40mm bore	<b>USE</b> <b>GAS SHOCK</b>	<b>BM401104</b>	40mm bore/twin tube/60mm casing/9stage	40mm lift
<b>LEAF SPRINGS</b>	<b>Premium Pack</b> Rear: 4 Leaf Spring		<b>T67</b>	<b>Light Load up to 150kg</b>	40mm lift
<b>TORSION BARS</b>	<b>Toughdog</b>	<b>4WTB-197</b>		1.093 / 26mm	All models

Remember to adjust Torsion Bars after fitting Shocks.

<b>URETHANE PRODUCTS</b>	Shackle bushes		<b>TDUK-003</b>	1 kit required	All models
<b>U BOLTS</b>	<b>U Bolts must be tightened at 500km service</b>		<b>TDUB-027</b>	2 kits required	All models

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>All Models</b> Petrol, Diesel <b>Carries up to 150kg Load</b> plus Passengers LIGHT LOAD	40mm Lift	<b>DAI-003</b> BD2057T 2 BD1104T 2 T67 2 TDUK-003 1 TDUB-027 2		<b>DAI-003A</b> BD2057T 2 BM401104 2 T67 2 TDUK-003 1 TDUB-027 2		

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# DAIHATSU : Feroza II

F310  
4/93-99

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	Toughdog Gas 35mm bore	BD2057T BD2057T	BD1005T BD1007T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	USE GAS SHOCK	BM401007	40mm bore/twin tube/60mm casing/9stage	40mm lift
<b>LEAF SPRINGS</b>	Premium Pack Rear: 4 Leaf Spring		T76	Light Load: up to 150kg	40mm lift
<b>TORSION BARS</b>	Toughdog	4WTB-197		1.093m / 26mm	All models

Remember to adjust Torsion Bars after fitting Shocks.

<b>URETHANE PRODUCTS</b>	Shackle bushes		TDUK-022	1 kit required	All models
<b>U BOLTS</b>	U Bolts must be tightened at 500km service		TDUB-027	2 kits required	All models

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>All Models</b> Petrol, Diesel	40mm Lift	<b>DAI-004</b>		<b>DAI-004A</b>		
		BD2057T 2		BD2057T 2		
		BD107T 2		BM401007 2		
		T76 2		T76 2		
<b>Carries up to 150kg Load</b> plus Passengers		TDUK-022 1		TDUK-022 1		
LIGHT LOAD		TDUB-025 2		TDUB-025 2		

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

# DAIHATSU : Rocky

F70, F75 6/84-93

F80, F85 6/84-89

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	<b>Toughdog Gas</b> 35mm bore	<b>BD1102TB</b> <b>BD1104TB</b>	<b>BD1102T</b> <b>BD1104T</b>	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	<b>Toughdog Adjustable</b> 40mm bore	<b>BM401102</b> <b>BM401104</b>	<b>BM401102</b> <b>BM401104</b>	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
<b>LEAF SPRINGS</b>	<b>Premium Pack</b>  LWB Front: 5 Leaf Spring Rear: 4 Leaf Spring	<b>T65</b>		<b>Petrol/Diesel Bar</b>	40mm lift
			<b>T64</b>	<b>Light Load: up to 300kg</b>	40mm lift
	<b>Premium Pack</b>  SWB Front: 5 Leaf Spring Rear: 4 Leaf Spring	<b>T65C</b>		<b>Petrol/Diesel Bar</b>	40mm lift
			<b>T64M</b>	<b>Light Load: up to 300kg</b>	40mm lift
<b>URETHANE PRODUCTS</b>	Shackle bushes	<b>TDUK-002</b>	<b>TDUK-003</b>	1 kit required 1 kit required	All models All models
<b>U BOLTS</b>	<b>U Bolts must be tightened at 500km service</b>	<b>TDUB-002</b> <b>TDUB-027</b>	<b>TDUB-027</b>	1 kit required 1 kit required 2 kits required	All models All models All models

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>SWB</b> Petrol, Diesel, Alloy Bar <b>Carries up to 300kg Load</b> plus Passengers  LIGHT LOAD	40mm Lift	<b>DAI-005</b> BD1104TB 2 BD1104T 2 T65C 2 T64M 2 TDUK-002 1 TDUK-003 1 TDUB-002 1 TDUB-027 3		<b>DAI-005A</b> BM401104 2 BM401104 2 T65C 2 T64M 2 TDUK-002 1 TDUK-003 1 TDUB-002 1 TDUB-027 3		
<b>LWB</b> Petrol, Diesel, Alloy Bar <b>Carries up to 300kg Load</b> plus passengers  LIGHT LOAD	40mm Lift	<b>DAI-006</b> BD1104TB 2 BD1104T 2 T65 2 T64 2 TDUK-002 1 TDUK-003 1 TDUB-002 1 TDUB-027 3		<b>DAI-006A</b> BM401104 2 BM401104 2 T65 2 T64 2 TDUK-002 1 TDUK-003 1 TDUB-002 1 TDUB-027 3		

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# DAIHATSU : Rocky Pick-Up & Tray Back

F77 11/86-93 Leaf Spring

F87 11/86-89 Leaf Spring

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	Toughdog Gas 35mm bore	BD1102TB BD1104TB	BD401400T BD401441T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	BM401104	BM401400 BM401441	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
<b>URETHANE PRODUCTS</b>	Shackle bushes	TDUK-002		1 kit required	All models
<b>U BOLTS</b>	U Bolts must be tightened at 500km service	TDUB-002	TDUB-027	2 kits required 2 kits required	All models All models

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

# DAIHATSU : Rocky

F73, F78 Coil Spring  
8/93-99

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	Toughdog Foam Cell 41mm bore	FC42019B	FC41184B	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 40mm
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401184	40mm bore/twin tube/60mm casing/9stage	OE & 40mm
<b>COIL SPRINGS</b>	Premium Pack		TDC066	Light Load up to 300kg	40mm lift
<b>TORSION BARS</b>	Toughdog	4WTB-198		850mm / 26mm	All models

Remember to adjust Torsion Bars after fitting Shocks.

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>All Models</b> Petrol, Diesel  <u>Carries up to 300kg Load</u> plus Passengers	40mm Lift		<b>DAI-007</b> FC42019B 2 FC41184B 2 TDC066 2	<b>DAI-007A</b> FC42019B 2 BM401184 2 TDC066 2		