

JEEP : Cherokee

1 of 2

XJ
4/94-01

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Gas 35mm bore	BD1063T BD1068T	BD1241T BD1249T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 35mm lift
	Toughdog Foam Cell 41mm bore	FC41063 FC41068	FC41241 FC41249	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 35mm lift
	Toughdog Adjustable 40mm bore	BM401063 BM401068	BM401241 BM401249	40mm bore/twin tube/60mm casing/9stage	OE Height 35mm lift
COIL SPRINGS	Premium Pack	TDC333		Petrol/Alloy Bar	35mm lift
	to suit LIMITED	TDC352		Petrol/Diesel/Bar/Winch	35mm lift
	Premium Pack	TDC333		Petrol/Alloy Bar	OE Height
	to suit SPORT	TDC352		Petrol/Diesel/Bar/Winch	35mm lift
LEAF SPRINGS	Premium Pack Rear: 6 Leaf Spring to suit LIMITED		FS23	Comfort Load: up to 300kg	35mm lift
			FS25	Medium Load: 300kg to GVM	35mm lift
	Premium Pack Rear: 6 Leaf Spring to suit SPORT		FS23	Comfort Load: up to 300kg	OE Height
			FS25	Comfort Load: up to 300kg	35mm lift
STEERING DAMPER & STABILIZER		SD14040 SS5921-P/S SV5921		Replacement S/Damper RTC Steering Stabilizer Adjustable Steering Stabilizer	Standard OE Power steer 35 mm bore
URETHANE PRODUCTS	Shackle bushes		TDUK-027	1 kit required	All models
U BOLTS	U Bolts must be tightened at 500km service		TDUB-020	2 kits required	All models
TRANSMISSION SPACERS	Trans. Spacers		TDSP-002	1 kit required	All models

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

JEEP : Cherokee

2 of 2

XJ
4/94-01

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
Limited Petrol, Alloy Bar Carries up to 300kg Load LIGHT LOAD	35mm Lift	JEE-001	JEE-001A	JEE-001B		
		BD1068T 2	FC41068 2	BM401068 2		
		BD1249T 2	FC41249 2	BM401249 2		
		TDC333 2	TDC333 2	TDC333 2		
		FS23 2	FS23 2	FS23 2		
		TDUK-027 1	TDUK-027 1	TDUK-027 1		
		TDUB-020 2	TDUB-020 2	TDUB-020 2		
TDSP-002 1	TDSP-002 1	TDSP-002 1				
Limited Petrol, Diesel Bar, Winch Carries from 300kg up to GVM MEDIUM LOAD	35mm Lift	JEE-002	JEE-002A	JEE-002B		
		BD1068T 2	FC41068 2	BM401068 2		
		BD1068T 2	FC41249 2	BM401249 2		
		TDC352 2	TDC352 2	TDC352 2		
		FS25 2	FS25 2	FS25 2		
		TDUK-027 1	TDUK-027 1	TDUK-027 1		
		TDUB-020 2	TDUB-020 2	TDUB-020 2		
TDSP-002 1	TDSP-002 1	TDSP-002 1				
Sport Petrol, Alloy Bar Carries up to 300kg Load LIGHT LOAD	35mm Lift	JEE-003	JEE-003A	JEE-003B		
		BD1068T 2	FC41068 2	BM401068 2		
		BD1388T 2	FC41249 2	BM401249 2		
		TDC333 2	TDC333 2	TDC333 2		
		FS25 2	FS25 2	FS25 2		
		TDUK-027 1	TDUK-027 1	TDUK-027 1		
		TDUB-020 2	TDUB-020 2	TDUB-020 2		
TDSP-002 1	TDSP-002 1	TDSP-002 1				
Sport Petrol, Diesel Bar, Winch Carries up to 300kg Load LIGHT LOAD	35mm Lift	JEE-004	JEE-004A	JEE-004B		
		BD1068T 2	FC41068 2	BM401068 2		
		BD1388T 2	FC41249 2	BM401249 2		
		TDC352 2	TDC352 2	TDC352 2		
		FS25 2	FS25 2	FS25 2		
		TDUK-027 1	TDUK-027 1	TDUK-027 1		
		TDUB-020 2	TDUB-020 2	TDUB-020 2		
TDSP-002 1	TDSP-002 1	TDSP-002 1				

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

JEEP : Cherokee

KJ
9/01-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Gas 35mm bore		BD1247B	35mm bore/twin tube Nitrogen Gas Charged	OE & 35mm
	Toughdog Adjustable 40mm bore		BM401247	40mm bore/twin tube/60mm casing/9stage	OE & 35mm
COIL SPRINGS	Premium Pack Petrol	TDC334	TDC336	Petrol/Alloy bar Light Load: up to 300kg	35mm lift 25/30mm lift
	Premium Pack Diesel	TDC335	TDC336	Diesel/Alloy bar Light Load: up to 300kg	OE Height 25/30mm lift

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

JEEP : CJ5, CJ6, CJ7, CJ8

73-85

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS CJ5, 6, 7 - 73-81	Toughdog Gas 35mm bore	BD1364T BD1366T	BD1366T BD1382T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 50mm lift
	Toughdog Foam Cell 41mm bore	FC41364 FC41366	FC41366 FC41382	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 50mm lift
	Toughdog Adjustable 40mm bore	BM401366	BM401382	40mm bore/twin tube/60mm casing/9stage	50mm lift
SHOCK ABSORBERS CJ7, 8 - 82-85	Toughdog Gas 35mm bore	BD1378T BD1379T	BD1366T BD1382T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 50mm lift
	Toughdog Foam Cell 41mm bore	FC41378 FC41379	FC41366 FC41382	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 50mm lift
STEERING DAMPERS & STABILIZERS	CJ5, 6, 7 73-81	SD5015		Replacement S/Damper with OE Brackets RTC Steering Stabilizer with OE Brackets RTC Steering Stabilizer with OE Brackets	Standard OE
		SS5015-M/S			Man steer
		SS5015-P/S			Power steer
	CJ7, 8 82-85	SD5016		Replacement S/Damper without OE Brackets RTC Steering Stabilizer without OE Brackets RTC Steering Stabilizer without OE Brackets	Standard OE
SS5016-M/S		Man steer			
		SS5016-P/S			Power steer

J10, J20, Wagoneer

79-83

J10, J20 83-85

SHOCK ABSORBERS	Toughdog Gas 35mm bore	BD1378T BD1379T	BD1378T BD1379T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 50mm lift
	Toughdog Foam Cell 41mm bore	FC41378 FC41379	FC41378 FC41379	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 50mm lift
	Toughdog Adjustable 40mm bore	BM401378 BM401379	BM401378 BM401379	40mm bore/twin tube/60mm casing/9stage	OE Height 50mm lift

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

JEEP : Grand Cherokee

ZG
4/96-99

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore	FC41068	FC41444	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 30mm
	Toughdog Adjustable 40mm bore	BM401068	BM401444	40mm bore/twin tube/60mm casing/9stage	OE & 30mm
COIL SPRINGS	Premium Pack	TDC358	TDC359	Alloy Bar Light Load: up to 300kg	30mm lift 30mm lift
STEERING DAMPER & STABILIZER	Replacement damper Return-to-Centre	SD14040 SS5921-P/S SV5921		Replacement S/Damper RTC Steering Stabilizer Adjustable Steering Stabilizer	Standard OE Power steer 35mm bore

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
All Models Petrol Alloy Bar Carries up to 300kg Load LIGHT LOAD	30mm Lift		JEE-005A FC41068 2 FC41444 2 TDC358 2 TDC359 2	JEE-005B BM401068 2 BM401444 2 TDC358 2 TDC359 2		

Remember to adjust Torsion Bars after fitting Shocks.

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

JEEP : Grand Cherokee

WJ 6/99-00
WG 11/00-05

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore	FC41068	FC41190	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 30mm
	Toughdog Adjustable 40mm bore	BM401068	BM401190	40mm bore/twin tube/60mm casing/9stage	OE & 30mm
COIL SPRINGS	Premium Pack WJ 6/99-00	TDC360	TDC361	All Light Load: up to 300kg	30mm lift 30mm lift
	Premium Pack WG 11/00-05	TDC360	TDC361	All Light Load: up to 300kg	30mm lift 30mm lift
STEERING STABILIZER	WJ, WG	SS5924-P/S		RTC Steering Stabilizer	Power steer

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
All Models Petrol, Diesel Carries up to 300kg Load LIGHT LOAD	30mm Lift		JEE-006 FC41068 2 FC41190 2 TDC360 2 TDC361 2	JEE-006A BM401068 2 BM401190 2 TDC360 2 TDC361 2		

Remember to adjust Torsion Bars after fitting Shocks.

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

JEEP : Wrangler

TJ
10/96-07

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Gas 35mm bore	BD1063T BD1068T	BD1443T BD1461T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	BM401063 BM401068	BM401443 BM401461	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
COIL SPRINGS	Premium Pack	TDC354	TDC355	Petrol/Bar Light Load: up to 300kg	40mm lift 40mm lift
STEERING DAMPER & STABILIZER	Replacement damper Return-to-Centre	SD14040 SS5921-P/S SV5921		Replacement S/Damper RTC Steering Stabilizer Adjustable Steering stabilizer	Standard OE Power steer 35mm bore
TRANSMISSION SPACERS	Manual & Auto	TDSP-001		1 kit required	10/96-03
	Auto Manual	TDSP-005 TDSP-006		1 kit required 1 kit required	2003-on 2003-on

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
All Models 10/96-03 Petrol, Bar Carries up to 300kg Load LIGHT LOAD	40mm Lift	JEE-007 BD1068T 2 BD1461T 2 TDC354 2 TDC355 2 TDSP-001 1		JEE-007A BM401068 2 BM401461 2 TDC354 2 TDC355 2 TDSP-001 1		
Auto 2003-on Petrol, Bar Carries up to 300kg Load LIGHT LOAD	40mm Lift	JEE-008 BD1068T 2 BD1461T 2 TDC354 2 TDC355 2 TDSP-005 1		JEE-008A BM401068 2 BM401461 2 TDC354 2 TDC355 2 TDSP-005 1		
Manual 2003-on Petrol, Bar Carries up to 300kg Load LIGHT LOAD	40mm Lift	JEE-009 BD1068T 2 BD1461T 2 TDC354 2 TDC355 2 TDSP-006 1		JEE-009A BM401068 2 BM401461 2 TDC354 2 TDC355 2 TDSP-006 1		

Remember to adjust Torsion Bars after fitting Shocks.

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

JEEP : Wrangler

KJ

3/07-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.