

MITSUBISHI : Challenger

PA, PAII
3/98-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore Coil Spring - Rear	FC42057B FC42057B	FC41439B FC41449B	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 35mm lift
	Toughdog Gas 35mm bore Leaf Spring - Rear	USE FOAM CELL	BD1382T	35mm bore/twin tube Nitrogen Gas Charged	40mm lift
COIL SPRINGS	Premium Pack		TDC640	Light Load: up to 300kg	OE & 35mm
	Rear Coil Spring		TDC632SL	medium Load: from 300kg to GVM	35mm lift
LEAF SPRINGS	Toughdog Premium Rear Leaf Spring		T21	Light Load: up to 300kg Rear: 4+1 Leaf Spring	OE & 40mm
URETHANE PRODUCTS	Shackle bushes		TDUK-066	1 kit required	Leaf Spring
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required	Leaf Spring

MITSUBISHI : L200 4WD

MA, MB, MC, MD
5/79-86

SHOCK ABSORBERS	Handler 30mm bore	H2058		Slim Design	OE & 40mm
	Toughdog Gas 35mm bore	USE HANDLER	BD1382T BD1388T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	Toughdog Foam Cell 41mm bore	USE HANDLER	FC41382 FC41388	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	USE HANDLER	BM401382 BM401388	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
TORSION BARS	Toughdog	4WTB-1726		1283mm / 26mm	All models
URETHANE PRODUCTS	Shackle bushes		TDUK-005	1 kit required	All models
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required	All models

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

MITSUBISHI : L300 4WD

SC, SD, SE, SF, SG, SH
5/83-94

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS SC, SD, SE 5/83-86	Toughdog Gas 35mm bore	USE FOAM CELL	BD1366T BD1382T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	Toughdog Foam Cell 41mm bore	FC42058B FC42058B	FC41366 FC41382	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401366 BM401382	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
SHOCK ABSORBERS SF, SG, SH 10/86-94	Toughdog Gas 35mm bore	BD2058T BD2058T	BD1386T BD1400T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 40mm lift
	Toughdog Foam Cell 41mm bore	FC42058B FC42058B	FC41386 FC41400	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401400	40mm bore/twin tube/60mm casing/9stage	40mm lift
TORSION BARS	Toughdog	4WTB-1726 4WTB-300		1283mm / 26mm 971mm / 26mm	SC, SD, SE SF, SG, SH
URETHANE PRODUCTS	Shackle bushes		TDUK-005	1 kit required	SC, SD, SE
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required	SC, SD, SE

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

Remember to adjust Torsion Bars after fitting Shocks.

MITSUBISHI : Pajero (incl. Montero Overseas Model)

1 of 2

NA, NB, NC, ND, NE
7/83-88

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore	FC42058B	FC41382	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 40mm
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401382	40mm bore/twin tube/60mm casing/9stage	OE & 40mm
LEAF SPRINGS	Premium Pack SWB		T60	Light Load: up to 300kg Rear: 6 Leaf Spring	40mm lift
	LWB		T68	Light Load: up to 300kg Rear: 5+1 Leaf Spring	40mm lift
	Business Pack LWB		BP-021	Light Load: up to 300kg Rear: 5+1 Leaf Spring	40mm lift
			BP-021H	Medium Load: 300kg to GVM Rear: 5+1 Leaf Spring	40mm lift
STEERING STABILIZERS		SS5013-P/S		RTC Steering Stabilizer	Power steer
TORSION BARS	Toughdog	4WTB-1726		1283mm / 26mm	All models
URETHANE PRODUCTS	Shackle bushes		TDUK-005	1 kit required	All models
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required	All models
GREASABLE SHACKLES	Shackles		TDGS-900	1 kit required	All models

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

mitsubishi : Pajero (incl. Montero Overseas Model)

2 of 2

NA, NB, NC, ND, NE
7/83-88

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
SWB Petrol, Diesel Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-001 FC42058B 2 FC41382 2 T60 2 TDUK-005 1 TDUB-006 2	MIT-001A FC42058B 2 BM401382 2 T60 2 TDUK-005 1 TDUB-006 2		
LWB Petrol, Diesel Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-002 FC42058B 2 FC41382 2 T68 2 TDUK-005 1 TDUB-006 2	MIT-002A FC42058B 2 BM401382 2 T68 2 TDUK-005 1 TDUB-006 2		

BUSINESS SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
LWB Petrol, Diesel Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-003 FC42058B 2 FC41382 2 BP-021 2 TDUK-005 1 TDUB-006 2	MIT-003A FC42058B 2 BM401382 2 BP-021 2 TDUK-005 1 TDUB-006 2		
LWB Petrol, Diesel Carries from 300kg to GVM MEDIUM LOAD	40mm Lift		MIT-004 FC42058B 2 FC41382 2 BP-021H 2 TDUK-005 1 TDUB-006 2	MIT-004A FC42058B 2 BM401382 2 BP-021H 2 TDUK-005 1 TDUB-006 2		

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
 Fitment sheet can be found on page 4 of this catalogue.

MITSUBISHI : Pajero (incl. Montero Overseas Model)

1 of 2

NF, NG (Rear coil or Leaf)
8/88-91

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS Leaf Rear Spring	Toughdog Foam Cell 41mm bore	FC42058B	FC41382	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 40mm
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401382	40mm bore/twin tube/60mm casing/9stage	OE & 40mm
SHOCK ABSORBERS Coil Rear Spring	Toughdog Foam Cell 41mm bore	FC42058B FC42058B	FC41439B FC41449B	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401439 BM401449	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
LEAF SPRINGS	Premium Pack SWB		T60	Light Load: up to 300kg Rear: 7 Leaf Spring	40mm lift
	Premium Pack LWB		T68	Light Load: up to 300kg Rear: 5+1 Leaf Spring	40mm lift
	Business Pack Rear: 5+1 Leaf Spring		BP-021	Light Load: up to 300kg	40mm lift
			BP-021H	Medium Load: 300kg to GVM	40mm lift
COIL SPRINGS	Premium Pack		TDC632SL	Light Load: up to 300kg	OE Height
			TDC632L	Medium Load: 300kg to GVM	40mm lift
STEERING STABILIZERS	with Rear Leaf Spring	SS5013-P/S		RTC Steering Stabilizer with OE chassis mtg, w/o drag link mtg	Power steer
	with Rear Coil Spring	SS5016-P/S		RTC Steering Stabilizer without mounting brkts Coil R/Spring	Power steer
TORSION BARS	Toughdog	4WTB-1726		1283mm / 26mm	All models

Remember to adjust Torsion Bars after fitting Shocks.

URETHANE PRODUCTS	Shackle bushes		TDUK-005	1 kit required	Leaf R/Spring
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required	Leaf R/Spring
GREASABLE SHACKLES	Shackles		TDGS-900	1 kit required	Leaf R/Spring

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

MITSUBISHI : Pajero (incl. Montero Overseas Model)

2 of 2

NF, NG (Rear coil or Leaf)
8/88-91

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
SWB Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-005 FC42058B 2 FC41382 2 T60 2 TDUK-005 1 TDUB-006 2	MIT-005A FC42058B 2 BM401382 2 T60 2 TDUK-005 1 TDUB-006 2		
LWB Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-006 FC42058B 2 FC41382 2 T68 2 TDUK-005 1 TDUB-006 2	MIT-006A FC42058B 2 BM401382 2 T68 2 TDUK-005 1 TDUB-006 2		
All Models Coil Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-007 FC42058B 2 FC41449B 2 TDC632L 2	MIT-007A FC42058B 2 BM401449 2 TDC632L 2		

BUSINESS SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
LWB Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-008 FC42058B 2 FC41382 2 BP-021 2 TDUK-005 1 TDUB-006 2	MIT-008A FC42058B 2 BM401382 2 BP-021 2 TDUK-005 1 TDUB-006 2		
LWB Leaf Spring Rear Carries from 300kg to GVM MEDIUM LOAD	40mm Lift		MIT-009 FC42058B 2 FC41382 2 BP-021H 2 TDUK-005 1 TDUB-006 2	MIT-009A FC42058B 2 BM401382 2 BP-021H 2 TDUK-005 1 TDUB-006 2		

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

MITSUBISHI : Pajero (incl. Montero Overseas Model)

1 of 2

NH, NJ 5/91-96 (R/Leaf)
NH to NL 5/91-00 (R/Coil)

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS NH1, 3, NJ1 - Leaf R/Spring	Toughdog Foam Cell 41mm bore	FC42057B	FC41382	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 40mm
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401382	40mm bore/twin tube/60mm casing/9stage	OE & 40mm
SHOCK ABSORBERS NH, NJ, NK, NL - Coil R/Spring	Toughdog Foam Cell 41mm bore	FC42057B FC42057B	FC41170B FC41178B	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE Height 40mm lift
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401170 BM401178	40mm bore/twin tube/60mm casing/9stage	OE Height 40mm lift
LEAF SPRINGS NH1, 3, NJ1 - Leaf R/Spring	Premium Pack Rear: 5+1 Leaf Spring		T68	Light Load: up to 300kg	40mm lift
	Business Pack Rear: 5+1 Leaf Spring		BP-021	Light Load: up to 300kg	40mm lift
			BP-021H	Medium Load: 300kg to GVM	40mm lift
COIL SPRINGS NH, NJ, NK, NL - Coil R/Spring	Premium Pack		TDC632SL	Light Load: up to 300kg	OE Height
			TDC632L	Medium Load: 300kg to GVM	40mm lift
STEERING STABILIZERS	NH1, 3, NJ1	SS5013-P/S		RTC Steering Stabilizer with OE chassis mtg, w/o drag link mtg	Power steer
	NH, NJ, NK, NL	SS5016-P/S		RTC Steering Stabilizer w/o OE chassis mtg & drag link mtg	Power steer
TORSION BARS	Toughdog	4WTB-203		1307mm / 27.5mm Coil R/Spring	NH, NJ, NK, NL

Remember to adjust Torsion Bars after fitting Shocks.

URETHANE PRODUCTS	Shackle bushes		TDUK-005	1 kit required - Leaf R/Spring	NH1, 3, NJ1
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required - Leaf R/Spring	NH1, 3, NJ1
GREASABLE SHACKLES	Shackles		TDGS-900	1 kit required - Leaf R/Spring	NH1, 3, NJ1

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

MITSUBISHI : Pajero (incl. Montero Overseas Model)

2 of 2

NH, NJ (Rear coil & Leaf)
5/91-96

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
NH1, 3, NJ1 Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-010 FC42057B 2 FC41382 2 T68 2 TDUK-005 1 TDUB-006 2	MIT-010A FC42057B 2 BM401382 2 T68 2 TDUK-005 1 TDUB-006 2		
NH, NJ, NK, NL Coil Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-011 FC42057B 2 FC41178B 2 TDC632L 2	MIT-011A FC42057B 2 BM401178 2 TDC632L 2		

BUSINESS SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
NH1, 3, NJ1 Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift		MIT-012 FC42057B 2 FC41382 2 BP-021 2 TDUK-005 1 TDUB-006 2	MIT-012A FC42057B 2 BM401382 2 BP-021 2 TDUK-005 1 TDUB-006 2		
NH1, 3, NJ1 Leaf Spring Rear Carries from 300kg to GVM MEDIUM LOAD	40mm Lift		MIT-013 FC42057B 2 FC41382 2 BP-021H 2 TDUK-005 1 TDUB-006 2	MIT-013A FC42057B 2 BM401382 2 BP-021H 2 TDUK-005 1 TDUB-006 2		

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
 Fitment sheet can be found on page 4 of this catalogue.

MITSUBISHI : Pajero (incl. Montero LWB Overseas Model)

NM, NP, NS
5/00-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore LWB	FC404300	FC41148B	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 50mm 50mm lift
		FC4300		Replacement Shock where FCS4300 is fitted	
	Toughdog Adjustable 40mm bore LWB	BM404300	BM401148	40mm bore/twin tube/60mm casing/9stage	OE & 40mm 50mm lift
COIL SPRINGS	Premium Pack	TDC631	TDC635S	All with Bar Light Load: up to 300kg	OE Height OE Height
		TDC631	TDC635HSL	All with Bar Medium Load: 300kg to GVM	OE Height OE Height
		TDC633	TDC635	All with Bar Light Load: up to 300kg	50mm lift 50mm lift
		TDC633H	TDC635H	All with Bar/Winch/Dual Battery Medium Load: 300kg to GVM	50mm lift 50mm lift

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
LWB Petrol, Diesel Bar Carries up to 300kg Load LIGHT LOAD	50mm Lift		MIT-014 FC404300 2 FC41148B 2 TDC633 2 TDC635 2	MIT-014A BM404300 2 BM401148 2 TDC633 2 TDC635 2		
SWB Petrol, Diesel Bar, Winch, Dual Battery Carries from 300kg to GVM MEDIUM LOAD	50mm Lift		MIT-015 FC404300 2 FC41148B 2 TDC633H 2 TDC635H 2	MIT-015A BM404300 2 BM401148 2 TDC633H 2 TDC635H 2		

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

MITSUBISHI : Pajero (incl. Montero SWB Overseas Model)

NM, NP, NS
5/00-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore LWB	FC404300	FC41148B	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 50mm 50mm lift
		FC4300		Replacement Shock where FCS4300 is fitted	
	Toughdog Adjustable 40mm bore LWB	BM404300	BM401148	40mm bore/twin tube/60mm casing/9stage	OE & 50mm 50mm lift
COIL SPRINGS	Premium Pack	TDC633	TDC635S	V6 Petrol/Bar Light Load: up to 300kg	50mm lift 50mm lift
		TDC633H	TDC635	V6 Petrol/Bar/Winch Medium Load: 300kg to GVM	50mm lift 50mm lift
		TDC633H	TDC635S	3.2 Diesel/Bar Light Load: up to 300kg	50mm lift 50mm lift
		TDC633H	TDC635	All with Bar/Winch/Dual Battery Medium Load: 300kg to GVM	50mm lift 50mm lift

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
SWB V6 Petrol, Bar <u>Carries up to 300kg Load</u> LIGHT LOAD	50mm Lift		MIT-014 FC404300 2 FC41148B 2 TDC633 2 TDC635S 2	MIT-014A BM404300 2 BM401148 2 TDC633 2 TDC635S 2		
SWB V6 Petrol, Bar, Winch, Dual Battery <u>Carries from 300kg to GVM</u> MEDIUM LOAD	50mm Lift		MIT-015 FC404300 2 FC41148B 2 TDC633H 2 TDC635H 2	MIT-015A BM404300 2 BM401148 2 TDC633H 2 TDC635H 2		
SWB 3.2 Diesel, Bar <u>Carries up to 300kg Load</u> LIGHT LOAD	50mm Lift		MIT-015B FC404300 2 FC41148B 2 TDC633H 2 TDC635S 2	MIT-015C BM404300 2 BM401148 2 TDC633H 2 TDC635S 2		
SWB 3.2 Diesel, Bar, Winch, Dual Battery <u>Carries from 300kg to GVM</u> MEDIUM LOAD	50mm Lift		MIT-015D FC404300 2 FC41148B 2 TDC633H 2 TDC635 2	MIT-015E BM404300 2 BM401148 2 TDC633H 2 TDC635 2		

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

MITSUBISHI : Triton (incl. L200 4WD Overseas Model)

1 of 3

ME, MF, MG, MH, MJ,
MK 10/86-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS ME, MF, MG, MH, MJ	Toughdog Gas 35mm bore	USE FOAM CELL	BD1388T	35mm bore/twin tube Nitrogen Gas Charged	OE & 40mm
	Toughdog Foam Cell 41mm bore	FC42058B	FC41388	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 40mm
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401388	40mm bore/twin tube/60mm casing/9stage	OE & 40mm
SHOCK ABSORBERS MK 10/96-on	Toughdog Gas 35mm bore	BD2057T	BD1388T	35mm bore/twin tube Nitrogen Gas Charged	OE & 40mm
	Toughdog Foam Cell 41mm bore	FC42057B	FC41388	41mm bore/twin tube/60mm Casing Rebound cutoff valve	OE & 40mm
	Toughdog Adjustable 40mm bore	USE FOAM CELL	BM401388	40mm bore/twin tube/60mm casing/9stage	OE & 40mm
LEAF SPRINGS ME, MF, MG, MH, MJ, MK 10/86-02	Premium Pack * NOTE: 1 Rear: 6 Leaf Spring		FS121	Light Load: up to 300kg	40mm lift
			FS121H	Medium Load:300kg to GVM	40mm lift
	Business Pack Rear: 5 Leaf Spring		BP-021	Light Load: up to 300kg	40mm lift
			BP-021H	Medium Load: 300kg to GVM	40mm lift
TORSION BARS	Toughdog <i>Check Torsion Bar length on the vehicle prior to ordering.</i>	4WTB-1726 4WTB-1736		1282mm / 26mm 1372mm / 26mm	All models All models

Remember to adjust Torsion Bars after fitting Shocks.

URETHANE PRODUCTS	Shackle bushes <i>For all vehicles fitted with FS121, FS121H Only</i>		TDUK-021	1 kit required	ME to MK
U BOLTS	U Bolts must be tightened at 500km service		TDUB-006	2 kits required	ME to MK

NOTE 1: Check number of leaves in OE spring pack prior to ordering.

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

mitsubishi : Triton (incl. L200 4WD Overseas Model)

2 of 3

ME, MF, MG, MH, MJ,

MK 10/86-on

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
ME, MF, MG, MH, MJ Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift	MIT-016 FC42058B 2 BD1388T 2 FS121 2 TDUK-021 1 TDUB-006 2	MIT-016A FC42058B 2 FC41388 2 FS121 2 TDUK-021 1 TDUB-006 2	MIT-016B FC42058B 2 BM401388 2 FS121 2 TDUK-021 1 TDUB-006 2		
ME, MF, MG, MH, MJ Leaf Spring Rear Carries from 300kg to GVM MEDIUM LOAD	40mm Lift	MIT-017 FC42058B 2 BD1388T 2 FS121H 2 TDUK-021 1 TDUB-006 2	MIT-017A FC42058B 2 FC41388 2 FS121H 2 TDUK-021 1 TDUB-006 2	MIT-017B FC42058B 2 BM401388 2 FS121H 2 TDUK-021 1 TDUB-006 2		
MK 10/96-02 Leaf Spring Rear Carries up to 300kg Load LIGHT LOAD	40mm Lift	MIT-018 FC42057B 2 BD1388T 2 FS121 2 TDUK-021 1 TDUB-006 2	MIT-018A FC42057B 2 FC41388 2 FS121 2 TDUK-021 1 TDUB-006 2	MIT-018B FC42057B 2 BM401388 2 FS121 2 TDUK-021 1 TDUB-006 2		
MK 10/96-02 Leaf Spring Rear Carries from 300kg to GVM MEDIUM LOAD	40mm Lift	MIT-019 FC42057B 2 BD1388T 2 FS121H 2 TDUK-021 1 TDUB-006 2	MIT-019A FC42057B 2 FC41388 2 FS121H 2 TDUK-021 1 TDUB-006 2	MIT-019B FC42057B 2 BM401388 2 FS121H 2 TDUK-021 1 TDUB-006 2		

Please Note:

**MK Triton late models may have a different length rear spring fitted.
Check before ordering.**

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *

mitsubishi : Triton (incl. L200 4WD Overseas Model)

3 of 3

ME, MF, MG, MH, MJ,
MK 10/86-on

BUSINESS SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
ME, MF, MG, MH, MJ Leaf Spring Rear <u>Carries up to 300kg Load</u> LIGHT LOAD	40mm Lift	MIT-020 FC42058B 2 BD1388T 2 BP-021 2 TDUK-070 1 TDUB-006 2	MIT-020A FC42058B 2 FC41388 2 BP-021 2 TDUK-070 1 TDUB-006 2	MIT-020B FC42058B 2 BM401388 2 BP-021 2 TDUK-070 1 TDUB-006 2		
ME, MF, MG, MH, MJ Leaf Spring Rear <u>Carries from 300kg to GVM</u> MEDIUM LOAD	40mm Lift	MIT-021 FC42058B 2 BD1388T 2 BP-021H 2 TDUK-070 1 TDUB-006 2	MIT-021A FC42058B 2 FC41388 2 BP-021H 2 TDUK-070 1 TDUB-006 2	MIT-021B FC42058B 2 BM401388 2 BP-021H 2 TDUK-070 1 TDUB-006 2		
MK 10/96-02 Leaf Spring Rear <u>Carries up to 300kg Load</u> LIGHT LOAD	40mm Lift	MIT-022 FC42057B 2 BD1388T 2 BP-021 2 TDUK-070 1 TDUB-006 2	MIT-022A FC42057B 2 FC41388 2 BP-021 2 TDUK-070 1 TDUB-006 2	MIT-022B FC42057B 2 BM401388 2 BP-021 2 TDUK-070 1 TDUB-006 2		
MK 10/96-02 Leaf Spring Rear <u>Carries from 300kg to GVM</u> MEDIUM LOAD	40mm Lift	MIT-023 FC42057B 2 BD1388T 2 BP-021H 2 TDUK-070 1 TDUB-006 2	MIT-023A FC42057B 2 FC41388 2 BP-021H 2 TDUK-070 1 TDUB-006 2	MIT-023B FC42057B 2 BM401388 2 BP-021H 2 TDUK-070 1 TDUB-006 2		

Please Note:

MK Triton late models may have a different length rear spring fitted.
Check before ordering.

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

MITSUBISHI : Triton (incl. L200 4WD Overseas Model)

1 of 2

ML
7/06-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
SHOCK ABSORBERS	Toughdog Foam Cell 41mm bore	FC404800	FC41383	41mm bore/twin tube/60mm Casing Rebound cutoff valve	25mm lift 25mm lift
	Toughdog Adjustable 40mm bore	BM404800	BM401383	40mm bore/twin tube/60mm casing/9stage	25mm lift 25mm lift
COIL SPRINGS	Premium Pack	TDC670		Petrol/Diesel/Alloy/Steel Bar	25mm lift
		TDC670H		Petrol/Diesel/Alloy/Steel Bar/Winch	25mm lift
LEAF SPRINGS	Premium Pack		FS122C	Light Load: up to 300kg	25mm lift
			FS122L	Medium Load: 300kg to GVM	25mm lift
			FS122LL	Constant Load: 500kg to GVM	25mm lift
			TDCW-001	Caster Wedges	1 per spring
URETHANE PRODUCTS	Shackle bushes		TDUK-021/14	1 kit required	
U BOLTS	U Bolts must be tightened at 500km service		TDUB-036	2 kits required	
GREASABLE PINS/SHACKLES	Shackles		TDGS-900	1 kit required	

* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. *
Fitment sheet can be found on page 4 of this catalogue.

MITSUBISHI : Triton (incl. L200 4WD Overseas Model)

2 of 2

ML
7/06-on

PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
All Models Petrol/Alloy or Steel Bar Carries up to 300kg Load LIGHT LOAD	25mm Lift		MIT-024 FC404800 2 FC41383 2 TDC670 2 FS122C 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2	MIT-024A BM404800 2 BM401383 2 TDC670 2 FS122C 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2		
All Models Petrol/Alloy or Steel Bar & Winch Carries up to 300kg Load LIGHT LOAD	25mm Lift		MIT-025 FC404800 2 FC41383 2 TDC670H 2 FS122C 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2	MIT-025A BM404800 2 BM401383 2 TDC670H 2 FS122C 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2		
All Models Petrol/Alloy or Steel Bar Carries from 300kg to GVM MEDIUM LOAD	25mm Lift		MIT-026 FC404800 2 FC41383 2 TDC670 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2	MIT-026A BM404800 2 BM401383 2 TDC670 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2		
All Models Petrol/Alloy or Steel Bar & Winch Carries from 300kg to GVM MEDIUM LOAD	25mm Lift		MIT-027 FC404800 2 FC41383 2 TDC670H 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2	MIT-027A BM404800 2 BM401383 2 TDC670H 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2		
All Models Petrol/Alloy or Steel Bar Carries from 500kg to GVM CONSTANT LOAD	25mm Lift		MIT-027B FC404800 2 FC41383 2 TDC670 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2	MIT-027C BM404800 2 BM401383 2 TDC670 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2		
All Models Petrol/Alloy or Steel Bar & Winch Carries from 500kg to GVM CONSTANT LOAD	25mm Lift		MIT-027D FC404800 2 FC41383 2 TDC670H 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2	MIT-027E BM404800 2 BM401383 2 TDC670H 2 FS122L 2 TDUK-021/14 1 TDUB-036 2 TDCW-001 2		

* Freight should be added where required. *

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.