

# SUZUKI : Jimny

1 of 2

SN413 (JB33/43/48)  
10/98-on

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	Toughdog Gas 35mm bore	BD1134TB BD1134TB	BD1192TB BD1192TB	35mm bore/twin tube Nitrogen Gas Charged	40mm lift 60mm lift
	Toughdog Gas 35mm bore	BD1134TB	BD1193TB	35mm bore/twin tube Nitrogen Gas Charged	80mm lift
<b>COIL SPRINGS</b>	Premium Pack	TDC836	TDC837	All Light Load: up to 300kg	40mm lift 40mm lift
		TDC838L	TDC839L	All Light Load: up to 300kg	60mm lift 60mm lift
		TDC824	TDC825	All Light Load: up to 300kg	80mm lift 80mm lift
<b>STEERING DAMPER &amp; STABILIZER</b>		SD5610 SS5610-M/S		Replacement S/Damper RTC Steering Stabilizer	Standard OE Man steer
<b>URETHANE PRODUCTS</b>	Trailing arm bush	TDUK-039	TDUK-039	1 required 1 required	All models All models
	Castor bushes - 3 deg	TDUK-063		1 kit required - 3 deg adj For 60mm, 80mm lift	3 deg adj
<b>PANHARD RODS</b>	Adjustable	TDPR-009	TDPR-010	For 60mm, 80mm lift For 60mm, 80mm lift	All models All models

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# SUZUKI : Jimny

2 of 2

SN413 (JB33/43/48)  
10/98-on

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>All Models</b> Petrol <b>Carries up to 300kg Load</b> LIGHT LOAD	40mm Lift	<b>SUZ-001</b> BD1134TB 2 BD1192TB 2 TDC836 2 TDC837 2				
<b>All Models</b> Petrol <b>Carries up to 300kg Load</b> LIGHT LOAD	60mm Lift	<b>SUZ-002</b> BD1134TB 2 BD1192TB 2 TDC838L 2 TDC839L 2 TDPR-009 1 TDPR-010 1 TDUK-063 1				
<b>All Models</b> Petrol <b>Carries up to 300kg Load</b> LIGHT LOAD	80mm Lift	<b>SUZ-003</b> BD1134TB 2 BD1193TB 2 TDC824 2 TDC825 2 TDPR-009 1 TDPR-010 1 TDUK-063 1				

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

# SUZUKI : LJ Series

1 of 2

540, LJ20, 50, 80, 81  
7/74-81

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>  540, LJ20, 50, 50V, 81	Handler 30mm bore	H1101	H1364	Slim design	OE Height
	Toughdog Gas 35mm bore	BD1102T	BD1364T BD1366T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 35mm lift
<b>SHOCK ABSORBERS</b>  LJ80, 80V	Handler 30mm bore	H1101	H1102	Slim design	OE Height
	Toughdog Gas 35mm bore	BD1102T	BD1102T BD1104T	35mm bore/twin tube Nitrogen Gas Charged	OE & 35mm 35mm lift
<b>LEAF SPRINGS</b>	Premium Pack  Front & Rear: 5 Leaf Spring	T61		All/Bar	OE & 35mm
			T62	Light Load: up to 300kg	OE & 35mm
		T61H		All/Bar/Winch	35mm lift
			T62H	Heavy Load: 300kg to GVM	35mm lift
	Business Pack  Front & Rear: 5 Leaf Spring	BP-032		All/Bar	OE & 35mm
			BP-033	Light Load: up to 300kg	OE & 35mm
<b>STEERING DAMPER &amp; STABILIZER</b>		SD14030 SS5611-M/S		Replacement S/Damper RTC Steering Stabilizer	Standard OE Man steer
<b>URETHANE PRODUCTS</b>	Shackle bushes	TDUK-013	TDUK-013	1 kit required 1 kit required	All models All models
<b>U BOLTS</b>	U Bolts must be tightened at 500km service	TDUB-014 TDUB-013	TDUB-014	1 required 1 required 2 required	RH side LH side All models
<b>GREASABLE SHACKLES</b>	Shackles	TDGS-656	TDGS-656	1 kit required 1 kit required	All models All models

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# SUZUKI : LJ Series

2 of 2

540, LJ20, 50, 80, 81  
7/74-81

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>540, LJ20, 50, 50V, 81</b> Petrol <u>Carries up to 300kg Load</u> LIGHT LOAD	35mm Lift	<b>SUZ-004</b> BD1102T 2 BD1366T 2 T61 2 T62 2 TDUK-013 2 TDUB-013 1 TDUB-014 3				
<b>540, LJ20, 50, 50V, 81</b> Petrol <u>Carries from 300kg to GVM</u> HEAVY LOAD	35mm Lift	<b>SUZ-005</b> BD1102T 2 BD1366T 2 T61H 2 T62H 2 TDUK-013 2 TDUB-013 1 TDUB-014 3				
<b>LJ80, 80V</b> Petrol <u>Carries up to 300kg Load</u> LIGHT LOAD	35mm Lift	<b>SUZ-006</b> BD1102T 2 BD1104T 2 T61 2 T62 2 TDUK-013 2 TDUB-013 1 TDUB-014 3				
<b>LJ80, 80V</b> Petrol <u>Carries from 300kg to GVM</u> HEAVY LOAD	35mm Lift	<b>SUZ-007</b> BD1102T 2 BD1104T 2 T61H 2 T62H 2 TDUK-013 2 TDUB-013 1 TDUB-014 3				

## BUSINESS SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>540, LJ20, 50, 50V, 81</b> Petrol <u>Carries up to 300kg Load</u> LIGHT LOAD	35mm Lift	<b>SUZ-008</b> BD1102T 2 BD1366T 2 BP-032 2 BP-033 2 TDUK-013 2 TDUB-013 1 TDUB-014 3				
<b>LJ80, 80V</b> Petrol <u>Carries up to 300kg Load</u> LIGHT LOAD	35mm Lift	<b>SUZ-009</b> BD1102T 2 BD1104T 2 BP-032 2 BP-033 2 TDUK-013 2 TDUB-013 1 TDUB-014 3				

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

# SUZUKI : Sierra

1 of 2

SJ410 (SJ40) 7/81-88

SJ413 (SJ50/70) 10/84-96

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	<b>Handler</b> 30mm bore	H1101	H1364	Slim design	OE Height
	<b>Toughdog Gas</b> 35mm bore	BD1102T	BD1364T BD1366T	35mm bore/twin tube Nitrogen Gas Charged	OE Height 50mm lift
<b>LEAF SPRINGS</b>	<b>Premium Pack</b>  Front & Rear: 5 Leaf Spring	T61		All/Bar	50mm lift
			T62	Light Load: up to 300kg	50mm lift
		T61H		All/Bar/Winch	50mm lift
			T62H	Heavy Load: 300kg to GVM	50mm lift
	<b>Business Pack</b>  Front & Rear: 5 Leaf Spring	BP-032		All/Bar	50mm lift
			BP-033	Light Load: up to 300kg	50mm lift
<b>STEERING DAMPER &amp; STABILIZER</b>		SD14030 SS5611-M/S		Replacement S/Damper RTC Steering Stabilizer	Standard OE Man steer
<b>URETHANE PRODUCTS</b>	Shackle bushes	TDUK-013	TDUK-013	1 kit required 1 kit required	All models All models
<b>U BOLTS</b>	U Bolts must be tightened at 500km service	TDUB-014 TDUB-013	TDUB-014	1 required 1 required 2 required	RH side LH side All models
<b>GREASABLE SHACKLES</b>	Shackle	TDGS-656	TDGS-656	1 kit required 1 kit required	All models All models

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# SUZUKI : Sierra

2 of 2

SJ410 (SJ40) 7/81-88

SJ413 (SJ50/70) 10/84-96

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>All Models</b> Petrol Bar <b>Carries up to 300kg Load</b>  LIGHT LOAD	50mm Lift	<b>SUZ-010</b> BD1102T 2 BD1366T 2 T61 2 T62 2 TDUK-013 2 TDUB-014 1 TDUB-013 1 TDUB-014 2				
<b>All Models</b> Petrol Bar, Winch <b>Carries from 300kg to GVM</b>  HEAVY LOAD	50mm Lift	<b>SUZ-011</b> BD1102T 2 BD1366T 2 T61H 2 T62H 2 TDUK-013 2 TDUB-014 1 TDUB-013 1 TDUB-014 2				

## BUSINESS SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>All Models</b> Petrol Bar <b>Carries up to 300kg Load</b>  LIGHT LOAD	50mm Lift	<b>SUZ-012</b> BD1102T 2 BD1366T 2 BP-032 2 BP-033 2 TDUK-013 2 TDUB-014 1 TDUB-013 1 TDUB-014 2				

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.

# SUZUKI : Vitara incl. Grand Vitara & XL-7

1 of 2

SE, SV, SQ 7/88-05  
JA 7/01-05

	PRODUCT	FRONT	REAR	PRODUCT INFORMATION	TYPE
<b>SHOCK ABSORBERS</b>	Toughdog Gas 35mm bore	BDS4613	BD1166T	35mm bore/twin tube Nitrogen Gas Charged	OE Height OE Height
	Toughdog Gas 35mm bore	BDS4000L BDS4000R	BD1166T	Includes Camber Bolt Kit 35mm bore/twin tube Nitrogen Gas Charged	All raised 30-40mm
	Toughdog Adjustable 40mm bore	USE GAS SHOCK	BM401166	40mm bore/twin tube/60mm casing/9stage	30-40mm
<b>COIL SPRINGS</b>  Vitara 2D SWB	Premium Pack 1.6L 7/88-00	TDC814	TDC815	All/Alloy Bar Light Load: up to 300kg	30mm lift 30mm lift
	Premium Pack 2.0L 5/97-00	TDC816	TDC815	All/Alloy Bar Light Load: up to 300kg	30mm lift 30mm lift
<b>COIL SPRINGS</b>  Vitara 4D LWB	Premium Pack 1.6L 8/91-98	TDC816	TDC817	All/Alloy Bar Light Load: up to 300kg	40mm lift 40mm lift
	Premium Pack 2.0L V6 4/95-99	TDC818	TDC817	All/Alloy Bar Light Load: up to 300kg	40mm lift 40mm lift
<b>COIL SPRINGS</b>  Grand Vitara	Premium Pack 1.6, 2.0L 5/99-01 SWB	TDC834	TDC835	All/Alloy Bar Light Load: up to 300kg	30mm lift 30mm lift
	Premium Pack 2.0L 4/98-01 LWB	TDC834	TDC835	All/Alloy Bar Light Load: up to 300kg	40mm lift 40mm lift
	Premium Pack 2.5L V6 4/98-05 LWB	TDC834	TDC835	All/Alloy Bar Light Load: up to 300kg	40mm lift 40mm lift
	Premium Pack 2.7L V6 8/05-on LWB	TDC846	TDC847	All/Alloy Bar Light Load: up to 300kg	40mm lift 40mm lift
<b>COIL SPRINGS</b> Grand Vitara XL-7	Premium Pack 2.7L V6 7/01-05	TDC834H	TDC838	All/Alloy Bar Light Load: up to 300kg	40mm lift 40mm lift
<b>STEERING STABILIZER</b>	7/88-02	SS5614-MS		RTC Steering Stabilizer	Man steer

\* Warranty / Fitment sheets must be filled out when a new suspension is fitted. Failure to do so may affect warranty. \*  
Fitment sheet can be found on page 4 of this catalogue.

# SUZUKI : Vitara incl. Grand Vitara & XL-7

2 of 2

SE, SV, SQ 7/88-05  
JA 7/01-05

## PREMIUM SUSPENSION KIT LISTING

Kit Description	Lift	Gas Shock Kit	Foam Cell Shock Kit	40mm Adjustable Shock Kit	45mm Adjustable Shock Kit	53mm Ralph Shock Kit
<b>Vitara SWB 1.6 7/88-00</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-013</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC814 2 TDC815 2		<b>SUZ-013A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC814 2 TDC815 2		
<b>Vitara SWB 2.0 5/97-00</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-014</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC816 2 TDC815 2		<b>SUZ-014A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC816 2 TDC815 2		
<b>Vitara LWB 1.6 8/91-98</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-015</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC816 2 TDC817 2		<b>SUZ-015A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC816 2 TDC817 2		
<b>Vitara LWB 2.0 V6 4/95-99</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-016</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC818 2 TDC817 2		<b>SUZ-016A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC818 2 TDC817 2		
<b>Grand Vitara 1.6, 2.0, 2.5</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-017</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC834 2 TDC835 2		<b>SUZ-017A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC834 2 TDC835 2		
<b>Grand Vitara 2.7 V6</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-018</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC846 2 TDC847 2		<b>SUZ-018A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC846 2 TDC847 2		
<b>Grand Vitara XL-7 2.7 V6</b> Petrol Alloy Bar  <b>Carries up to 300kg Load</b> Includes Camber Bolt Kit	30mm Lift	<b>SUZ-019</b> BDS4000L 1 BDS4000R 1 BD1166T 2 TDC834H 2 TDC838 2		<b>SUZ-019A</b> BDS4000L 1 BDS4000R 1 BM401166 2 TDC834H 2 TDC838 2		

\* Freight should be added where required. \*

To determine what load you are carrying remember to include the weight of all passengers & driver in the total weight.